

Tournament Name
Bowling Center
City, State, Country
Dates

TKK Pamaus 2005

Kauppi

Manse

7.2.-20.3.2005

Volume Per Board: <u>40</u> μ L				Forward Kegel Prodigy			Start Med. Buff	Start Slow Buff	Oil Travel Distance
							feet	feet	40 feet
Screen #	Left End of Stream	Right End of Stream	# Loads or Streams	Travel Speed (in/sec)	Beginning Distance of Load (feet)	Ending Distance of Load (feet)	# Boards Crossed per Load	Total Boards Crossed	Total Volume of Oil (μ L)
01F	2	2	6	18	0	15	37	222	8880
02F	4	4	2	14	15	18	33	66	2640
03F	5	5	2	18	18	23	31	62	2480
04F	7	7	2	18	23	28	27	54	2160
05F	11	11	1	18	28	30	19	19	760
06F	2	2	0	22	30	40			
07F									
08F									
09F									
10F									
11F									
12F									
13F									
14F									
15F									
Total # Boards Crossed / mL on FWD								423	16,92
Lane Surface Type: _____ Comments: _____								Reverse Oil Distance	
Condition: 1 = poor 2 = fair 3 = average 4 = good 5 = excellent								26 feet	
Reverse									
Screen #	Left End of Stream	Right End of Stream	# Loads or Streams	Travel Speed (in/sec)	Beginning Distance of Load (feet)	Ending Distance of Load (feet)	# Boards Crossed per Load	Total Boards Crossed	Total Volume of Oil (μ L)
01R	2	2	0	26	40	26			
02R	12	12	1	22	26	23	17	17	680
03R	10	10	1	22	23	20	21	21	840
04R	7	7	1	22	20	17	27	27	1080
05R	5	5	2	22	17	11	31	62	2480
06R	2	2	1	22	11	8	37	37	1480
07R	2	2	0	22	8	0			
08R									
09R									
10R									
11R									
12R									
13R									
14R									
15R									
Total # Boards Crossed / mL on REV								164	6,56
Total # Boards / mL FWD and REV								587	23,48

Tournament Name
Bowling Center
City, State
Dates

TKK Pamaus 2005
Kauppi
Manse
7.2.-20.3.2005

Zone Length #1 #2 #3 #4 #5 #6
Tape Location 9' 16' 23' 27' 38'

FORWARD OIL

Pump Calibration: 40 Fwd Volume 16,920 Rev Volume 6,560 Total Volume 23,480

1L	2L	3L	4L	5L	6L	7L	8L	9L	10L	11L	12L	13L	14L	15L	16L	17L	18L	19L	20	19R	18R	17R	16R	15R	14R	13R	12R	11R	10R	9R	8R	7R	6R	5R	4R	3R	2R	1R		
01F	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	
02F			80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80
03F				80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80
04F					80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80
05F										40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	
06F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
07F																																								
08F																																								
09F																																								
10F																																								
11F																																								
12F																																								
13F																																								
14F																																								
15F																																								
	1200				2320															2340																				
	240	240	320	400	400	480	480	480	480	520	520	520	520	520	520	520	520	520	520	520	520	520	520	520	520	520	520	520	480	480	480	480	400	400	320	240	240			


REVERSE OIL

1L	2L	3L	4L	5L	6L	7L	8L	9L	10L	11L	12L	13L	14L	15L	16L	17L	18L	19L	20	19R	18R	17R	16R	15R	14R	13R	12R	11R	10R	9R	8R	7R	6R	5R	4R	3R	2R	1R	
01R	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
02R											40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	
03R									40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40
04R						40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40
05R				80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	
06R	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	
07R	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
08R																																							
09R																																							
10R																																							
11R																																							
12R																																							
13R																																							
14R																																							
15R																																							
	240				800															1080																			
	1440				3120															3420																			
	40	40	40	120	120	160	160	160	200	200	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	200	200	160	160	160	120	120	40	40	40	

Total Volume in Microliters 23480

TKK Pamaus 2005 Composite Pattern

Microliters	Avg. 2-5L	Avg. 6-10L	Avg. 11-15L	Avg. 16-20L	Avg. 20-16R	Avg. 15-11R	Avg. 10-6R	Avg. 5-2R
	360	624	752	760	760	752	624	360
Ratio	20:2L	20:5L	20:10L	20:15L	20:15R	20:10R	20:5R	20:2R
	2,71	1,46	1,12	1,00	1,00	1,12	1,46	2,71



TKK Pamaus 2005 Overhead View of Conditioner Pattern

